



LED LIGHTING



BRIGHT side of
LIGHT



INDEX

ITEM	PG.
Vista Series	02-03
Track Light	04-05
Outdoor Light	06-07
Super Nova Series	08-09
Java Series	10-12
Slim Led Panel Series	13-14
Commercial / Proline / Magic Series	15-16
Hello / Brick Series	17-18
COB / Deep Light Series	19-20
Glow Series Led Bulb	21-23
Oreo Series	24-25
Eclairs Series	26-27
Twix / Industrial Series	28-29



SWITCHES
SINCE 1973

CHAIRMAN MESSAGE

FINE's innovative approach always remains a step ahead and assures to keep its word in future too and I feel immense pleasure to introduce new products, which are the need of the day, i.e. LED Lights, Remote Control Switches and Wireless Door Bells. Besides "FINE" already enjoys prestigious position in the domestic as well overseas markets for its existing Branded products, like Electrical Switches & Accessories covering Modular & Plate Series, Switchgears, Power Distribution Boxes, PVC Insulated Wires & Cables, LED Light, Fans & Energy Meters and other allied Electrical Products caters to the needs of all segments of society for their Domestic, Industrial and Commercial requirements. It is a matter of pleasure that FINE group has been able to achieve a substantial growth, credit for which goes to its sincere & reliable Marketing and Administrative Team, and is committed to achieve greater goals. FINE has ever increasing & satisfied customer base. FINE has accomplished this success despite stiff competition posed by globalization / liberalization. Right from the inception the motto of FINE group is - Quality Keeps us Ahead and I confidently say that it has always encouraged and inspired us to reach-out to the quality standards as per expectations of our esteemed customers and ultimate users. FINE has qualified and Experienced Professionals in R&D, Quality Assurance Centre and Modern Testing Laboratory, who keep themselves, updated with latest techniques, Global Standards and develop most modern designs. FINE's Manufacturing Unit is an ISO 9001:2015 accredited and is holding five BIS licenses for Marking ISI on the products.

FINE group has been conferred with esteemed National & State Level Awards viz.:

- Best Entrepreneur Award by H.E. Bharion Singh Shekhawat, the then Vice President of India.
- Best Quality Award by Dr. Manmohan Singh, Hon'ble Prime Minister of India.
- Rajiv Gandhi National Quality Award by Shri Sharad Pawar, Hon'ble Union Minister of Agriculture & Commerce.
- Punjab State Governments Award for Productivity (Twice), by the Chief Minister of Punjab

FINE feels pleasure in sharing that our achievements could have not been possible without the untiring efforts and market feedback from the distribution-network, marketing team and end-users.

FINE is also discharging its social and religious responsibilities by running FREE CHARITABLE DISPENSARY, EYE AND DENTAL CHECKUP & OPERATION CAMPS periodically for the unprivileged brethren.

May God always be with us for noble deeds and prosperity!

S.P. Sethi
Chairman
spsethi@fineswitches.com

BEYOND THE **IMAGINATION**



SWITCHES
SINCE 1973

Vista
Premium LED



COB LIGHT (ADJUSTABLE)



CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	HIGHT	CUTOUT DIA	LUMENS	PKG
1407	12W	3000K/4000K	85-285V	≥0.9	102	90	110	20
1408	24W	3000K/4000K	85-285V	≥0.9	102	90	110	20

All dimensions in mm



VISTA COB LIGHT



SWITCHES
SINCE 1973



MOVABLE

MOVABLE

DEEP

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	HIGHT	CUTOUT DIA	LUMENS	PKG	MRP/Unit
921	3W	3000K/4000K	85-285V	≥0.9	65	43	110	50	625/-
922	7W	3000K/4000K	85-285V	≥0.9	85	60	110	20	900/-
925	12W	3000K/4000K	85-285V	≥0.9	85	68	110	20	1400/-

DEEP

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	HIGHT	CUTOUT DIA	LUMENS	PKG	MRP/Unit
923	5W	3000K/4000K	85-285V	≥0.9	60	45	110	50	1100/-
924	9W	3000K/4000K	85-285V	≥0.9	65	60	110	50	1463/-
926	12W	3000K/4000K	85-285V	≥0.9	80	85	110	20	2000/-

LINNER COB LIGHT



CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	LUMENS	PKG
1409	3W	3000K/4000K	85-285V	≥0.9	45X45	36	110	20
1410	6W	3000K/4000K	85-285V	≥0.9	75X45	36	110	20
1411	9W	3000K/4000K	85-285V	≥0.9	105X45	36	110	20
1412	15W	3000K/4000K	85-285V	≥0.9	148X45	41	110	20



50%
Energy Saving
over CFLs



ZERO
maintenance



4 times more
life over CFLs



ZERO
Mercury

All dimensions in mm





SWITCHES
SINCE 1973



Vista

Premium LED



86%
SAVING

90
LUMENS
PER WATT

EXCELLENT
CRI

2
YEARS
WARRANTY

TRACK LIGHT



SWITCHES
SINCE 1973

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	TYPE	LUMENS	ANGLE	PKG
1451	9W	3000K/4000K/6500	85-300V	≥0.9	MOVEABLE	130	60	10
1452	16W	3000K/4000K/6500	85-300V	≥0.9	MOVEABLE	130	60	10
1453	30W	3000K/4000K/6500	85-300V	≥0.9	MOVEABLE	130	60	10
1454	50W	3000K/4000K/6500	85-300V	≥0.9	MOVEABLE	130	60	10

COB WALL LIGHT



CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	TYPE	LUMENS	ANGLE	PKG
1456	16W	3000K/4000K/6500	85-300V	≥0.9	MOVEABLE	130	38	10
1457	30W	3000K/4000K/6500	85-300V	≥0.9	MOVEABLE	130	38	10
1458	50W	3000K/4000K/6500	85-300V	≥0.9	MOVEABLE	130	38	10

TRACK CHANNEL



CAT NO.	POWER	COLOUR	LENTH	PKG
1461	6/9/16/30/50W	WHITE	1Mtrs	10
1461A	6/9/16/30/50W	BLACK	2Mtrs	10
1462	6/9/16/30/50W	WHITE	1Mtrs	10
1461A	6/9/16/30/50W	BLACK	2Mtrs	10



50%
Energy Saving
over CFLs



ZERO
maintenance



4 times more
life over CFLs



ZERO
Mercury


All dimensions in mm



Vista
Premium LED



SWITCHES
SINCE 1973



Wall Light

OUTDOOR
LED
LIGHTS

SPIKE
Light



86%	100	2
SAVING	LUMENS PER WATT	YEARS WARRANTY

WALL LIGHT (OUTDOOR)



SWITCHES
SINCE 1973



1401



1402



1403



1404

CAT NO.	POWER	COLOUR	INPUT VOLT	PF	TYPE	OUTER DIA	IP RATING	CRI	PKG	MRP/Unit
1401	5W	3000K	90-285V	≥0.9	1UP	60X92	IP65	85	20	1485/-
1402	4W	3000K	90-285V	≥0.9	2UP-DOWN	90.5X35X80	IP65	85	50	1530/-
1403	4W	3000K	90-285V	≥0.9	4 WAY	79X37.5V79	IP65	85	50	1875/-
1404	6W	3000K	90-285V	≥0.9	3UP-DOWN	140X35X80	IP65	85	20	1980/-

SPIKE LIGHT (OUTDOOR)



CAT NO.	POWER	COLOUR	INPUT VOLT	PF	TYPE	IP RATING	CRI	ANGLE	PKG	MRP/Unit
1405	3W	3000K	90-285V	≥0.9	Garden Light	IP65	80	38°	50	838/-
1405	3W	Red/Blue/Green	90-285V	≥0.9	Garden Light	IP65	80	38°	50	838/-
1406	6W	3000K	90-285V	≥0.9	Garden Light	IP65	80	38°	50	1125/-
1406	6W	Red/Blue/Green	90-285V	≥0.9	Garden Light	IP65	80	38°	50	1125/-

All dimensions in mm

S
U
P
E
R
N
O
V
A
P
A
N
E
L



SWITCHES
SINCE 1973



ROUND
SQUARE

86%
SAVING

90
LUMENS
PER WATT

EXCELLENT
CRI

2
YEARS
WARRANTY

SQUARE PANEL LIGHT



SWITCHES
SINCE 1973




SUPERNOVA

SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
954	16W	3000K/4000K/6500K	85-285V	≥0.9	115X115	70	120	20	725/-
956	24W	3000K/4000K/6500K	85-285V	≥0.9	165X165	84.5	120	20	1175/-
958	32W	3000K/4000K/6500K	85-285V	≥0.9	215X215	99.5	120	20	1750/-

ROUND PANEL LIGHT



CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
955	16W	3000K/4000K/6500K	85-285V	≥0.9	115X115	70	120	20	725/-
957	24W	3000K/4000K/6500K	85-285V	≥0.9	165X165	84.5	120	20	1175/-
959	32W	3000K/4000K/6500K	85-285V	≥0.9	215X215	99.5	120	20	1750/-



50%
Energy Saving
over CFLs



ZERO
maintenance



4 times more
life over CFLs



ZERO
Mercury

All dimensions in mm





SWITCHES
SINCE 1973

JAVA SERIES LED PANEL



JAVA SQ PANEL



SWITCHES
SINCE 1973



JAVA SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
981	4W	3000K/4000K/6500K	85-285V	≥0.9	82X82	64	120	20	350/-
983	8W	3000K/4000K/6500K	85-285V	≥0.9	115X115	98	120	20	525/-
983	8W	3 IN 1 (6K/4K/3K)	85-285V	≥0.9	115X115	98	120	20	665/-
989	12W	3000K/4000K/6500K	85-285V	≥0.9	161X161	130	120	20	815/-
985	15W	3000K/4000K/6500K	85-285V	≥0.9	172X172	149	120	20	915/-
985	15W	3 IN 1 (6K/4K/3K)	85-285V	≥0.9	172X172	149	120	20	1040/-
987	22W	3000K/4000K/6500K	85-285V	≥0.9	223X223	204	120	20	1290/-

**8W and 15W Available 3 in 1 (6K/4K/3K)*

JAVA SURFACE RING



CAT NO.	POWER	OUTER DIA	PKG	MRP/Unit
981A	4W	85X34	20	120/-
983A	8W	119X36	20	145/-
985A	15W	174X36	20	195/-
987A	22W	225X36	20	220/-



CFL >50%

50%
Energy Saving
over CFLs



ZERO
maintenance



4 times more
life over CFLs



ZERO
Mercury

All dimensions in mm



ROUND PANEL LIGHT



SWITCHES
SINCE 1973



JAVA SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
982	4W	3000K/4000K/6500K	85-285V	≥0.9	82X82	62.5	120	20	350/-
984	8W	3000K/4000K/6500K	85-285V	≥0.9	115X115	98	120	20	525/-
984	8W	3 IN 1 6K/4K/3K	85-285V	≥0.9	115X115	98	120	20	665/-
990	12W	3000K/4000K/6500K	85-285V	≥0.9	161X161	130	120	20	815/-
986	15W	3000K/4000K/6500K	85-285V	≥0.9	172X172	149	120	20	915/-
986	15W	3 IN 1 6K/4K/3K	85-285V	≥0.9	172X172	149	120	20	1040/-
988	22W	3000K/4000K/6500K	85-285V	≥0.9	217X217	204	120	20	1290/-

**8W and 15W Available 3 in 1 (6K/4K/3K)*

ROUND SURFACE RING



CAT NO.	POWER	OUTER DIA	PKG	MRP/Unit
982A	4W	85X34	20	120/-
984A	8W	120X36	20	145/-
986A	15W	174X36	20	195/-
988A	22W	225X36	20	220/-

All dimensions in mm

SLIM SERIES


LED PANEL



SWITCHES
SINCE 1973



HIDE YOUR SHADOW



SQUARE PANEL (ALLUMINIUM)



SWITCHES
SINCE 1973



SLIM^{SERIES} LED PANEL

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
905SL	3W	3000K/4000K/6500K	85-285V	≥0.9	90X90	70	120	100	475/-
907SL	6W	3000K/4000K/6500K	85-285V	≥0.9	120X120	104	120	40	550/-
911SL	12W	3000K/4000K/6500K	85-285V	≥0.9	170X170	154	120	30	890/-
913SL	18W	3000K/4000K/6500K	85-285V	≥0.9	225X225	205	120	20	1240/-

ROUND PANEL (ALLUMINIUM)



CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
906SL	3W	3000K/4000K/6500K	85-285V	≥0.9	86X86	68	120	100	475/-
908SL	6W	3000K/4000K/6500K	85-285V	≥0.9	120X120	106	120	40	550/-
912SL	12W	3000K/4000K/6500K	85-285V	≥0.9	168X168	155	120	30	890/-
914SL	18W	3000K/4000K/6500K	85-285V	≥0.9	225X225	205	120	20	1240/-



50%
Energy Saving
over CFLs



ZERO
maintenance



4 times more
life over CFLs



ZERO
Mercury

All dimensions in mm



CFL >50%



SWITCHES
SINCE 1973



86%
SAVING

90
LUMENS
PER WATT

EXCELLENT
CRI

2
YEARS
WARRANTY

2X2 BACKLIT PANEL



SWITCHES
SINCE 1973

COMMERCIAL SERIES



CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
961	36W	6500K/3000K	85-285V	≥0.9	595X595X45	560	120	4	3925/-
962	40W	6500K/3000K	85-285V	≥0.9	595X595X45	560	120	4	4175/-

T-5 TUBE LIGHT



PROLINE SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA IN MM	TYPE	ANGLE	PKG	MRP/Unit
952A	22W	6500K/3000K	85-285V	≥0.9	1130X25X38	T5	120	20	432/-
952B	40W	6500K/3000K	85-285V	≥0.9	1150X28X38	T8	120	20	975/-

SENSOR LIGHT



MAGIC SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	TYPE	ANGLE	PKG	MRP/Unit
960	0.5W	6500K/3000K RED/GREEN/BLUE	85-285V	≥0.6	SENSOR LIGHT (PLUG TYPE)	360	60	150/-



50%
Energy Saving
over CFLs



ZERO
maintenance



4 times more
life over CFLs



ZERO
Mercury

All dimensions in mm



IP65



CFL > 50%



SWITCHES
SINCE 1973



Hello!

BRICK



BRICK
3 IN 1



86% SAVING	90 LUMENS PER WATT	 EXCELLENT CRI	1 YEARS WARRANTY
---------------	--------------------------	---	------------------------

CONCEALED LIGHT



SWITCHES
SINCE 1973

Hello!
LIGHT



BRICK
LIGHT

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
936	5W	6500K/3000K/R/G/B/P	85-285V	≥0.6	112X55	75	120	50	275/-
953	7W	6500K/3000K/R/G/B/P	85-285V	≥0.6	110X45	72	120	50	290/-

* R (Red), G (Green), B (Blue), P (Pink)

BRICK SERIES



BRICK
3 IN 1 LIGHT

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
953A	7W	3 IN 1 (6K/4K/3K)	85-285V	≥0.6	110X45	72	120	50	360/-
953A	7W	3 IN 1 (R/B/P)	85-285V	≥0.6	110X45	72	120	50	360/-



50%
Energy Saving
over CFLs



ZERO
maintenance



4 times more
life over CFLs



ZERO
Mercury

All dimensions in mm




CFL >50%



SWITCHES
SINCE 1973


ALPHA SERIES



COB LIGHT



DEEP LIGHT



SNOWBALL SERIES


86% SAVING	80 LUMENS PER WATT	EXCELLENT CRI	2 YEARS WARRANTY
---------------	--------------------------	------------------	------------------------

SPOT LIGHT

ALPHA
SERIES



SWITCHES
SINCE 1973



CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	ANGLE	PKG	MRP/Unit
915C	2W	6500K/3000K/R/B/G/P	85-285V	≥0.6	42X16	33	38	50	205/-
915B	3W	6500K/3000K/R/B/G	85-285V	≥0.9	40X24	31	36	50	312/-
920A	7W	6500K/4000K/3000K	85-285V	≥0.9	85X50	67	36	50	795/-

*2W Plastic Body

*3W Aluminium (External Driver)

*7W Aluminium (Movable)

DEEP LIGHT



SNOWBALL
SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	CUTOUT DIA	TYPE	ANGLE	PKG	MRP/Unit
935	6W	6500K	85-285V	≥0.9	70X50	43	(Mushroom)	120	100	295/-
935A	6W	3K,4K,6K (3 IN 1)	85-285V	≥0.9	70X50	43	(Mushroom)	120	100	310/-



50%
Energy Saving
over CFLs



ZERO
maintenance



4 times more
life over CFLs



ZERO
Mercury

All dimensions in mm



CFL >50%



SWITCHES
SINCE 1973

GLOW SERIES LED BULB

86%
SAVING

100
LUMENS
PER WATT

EXCELLENT
CRI

1
YEARS
WARRANTY



GLOW SERIES LED BULB

GLOW^{SERIES} LED BULB



CAT NO.	941
POWER	0.5W
COLOUR TEMP	WHITE, YELLOW, RED, BLUE, GREEN, PINK, ORANGE
INPUT VOLT	85-285V
PF	≥0.6
CRI	60
HOLDER TYPE	B22
SIZE IN MM	45X68
ANGLE	240
PKG	60
MRP/ UNIT	65/-



SWITCHES
SINCE 1973

NIGHT LAMP



CAT NO.	942	943	944	945	946	946
POWER	5W	7W	9W	12W	15W	20W
COLOUR TEMP	6500K/3000K					
INPUT VOLT	85-285V					
PF	≥0.9					
CRI	100					
HOLDER TYPE	B22 / E27					
SIZE IN MM	A57X100			A65X122		A75X137
ANGLE	180					
PKG	100	100	100	50	50	50
MRP/ UNIT	167/-	170/-	173/-	290/-	325/-	440/-


LED BULB



CAT NO.	948	949	950A
POWER	26W	30W	50W
COLOUR TEMP	6500K/3000K		
INPUT VOLT	85-285V		
PF	≥0.9		
CRI	100		
HOLDER TYPE	B22 / E27		
SIZE IN MM	T100X170	T100X170	T120X200
ANGLE	180		
PKG	20	20	15
MRP/ UNIT	800/-	875/-	1190/-

HAMMER BULB
HEAVY DUTY

All dimensions in mm



GLOW SERIES LED BULB

GLOW^{SERIES} LED BULB



CAT NO.	944B (ANTI-MASQUITO)
POWER	9W
COLOUR TEMP	3000K (YELLOW)
INPUT VOLT	85-285V
PF	≥0.9
CRI	80
HOLDER TYPE	B22 / E27
SIZE IN MM	A57X100
ANGLE	180
PKG	100
MRP/ UNIT	178/-



SWITCHES
SINCE 1973

ANTI-MASQUITO
BULB



CAT NO.	944C (RGB BULB)
POWER	9W
COLOUR TEMP	RGB
INPUT VOLT	85-285V
PF	≥0.9
CRI	80
HOLDER TYPE	B22 / E27
SIZE IN MM	A57X100
ANGLE	180
PKG	100
MRP/ UNIT	200/-

COLOURFULL
LED BULB



CAT NO.	944D (INVERTOR BULB)
POWER	9W
COLOUR TEMP	6500K/3000K
INPUT VOLT	85-285V
PF	≥0.9
CRI	80
HOLDER TYPE	B22 / E27
SIZE IN MM	A80X100
ANGLE	180
PKG	20
MRP/ UNIT	650/-

INVERTOR
BULB



50%
Energy Saving
over CFLs



ZERO
maintenance




4 times more
life over CFLs



ZERO
Mercury

All dimensions in mm



3.7v /2200mAH
Rechargeable Li-on Battery

www.fineswitches.com

23

OREO SERIES



SWITCHES
SINCE 1973



WITH EXTERNAL
SURGE PROTECTION DEVICE

86%
SAVING

100
LUMENS
PER WATT

EXCELLENT
CRI

2
YEARS
WARRANTY

FLOOD LIGHT (With External SPD)



SWITCHES
SINCE 1973

OREO
SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	IP RATING	LUMENS	ANGLE	PKG	MRP/ Unit
963	20W	6500K/3000K	85-285V	≥0.9	125X116X35	IP66	100	120	10	1350/-
964	30W	6500K/3000K RED/BLUE/GREEN/PINK/AMBER	85-285V	≥0.9	195X170X50	IP66	100	120	10	2312/-
965	50W	6500K/3000K	85-285V	≥0.9	240X210X55	IP66	100	120	10	2972/-
966	70W	6500K/3000K	85-285V	≥0.9	285X255X75	IP66	100	120	5	5000/-
967	100W	6500K/3000K	85-285V	≥0.9	285X255X75	IP66	100	120	5	5397/-
969	150W	6500K/3000K	85-285V	≥0.9	345X310X80	IP66	100	120	4	8800/-
970	200W	6500K/3000K	85-285V	≥0.9	380X350X80	IP66	100	120	4	12445/-
971	250W	6500K/3000K	85-285V	≥0.9	380X350X80	IP66	100	120	4	16225/-

STREET LIGHT (With External SPD)



OREO
SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	IP RATING	LUMENS	ANGLE	PKG	MRP/ Unit
972	20W	6500K/3000K	85-285V	≥0.9	270X100X55	IP66	100	120	20	1947/-
974	40W	6500K/3000K	85-285V	≥0.9	310X140X60	IP66	100	120	10	3272/-
976	60W	6500K/3000K	85-285V	≥0.9	320X180X60	IP66	100	120	10	5147/-
978	80W	6500K/3000K	85-285V	≥0.9	320X180X60	IP66	100	120	10	7397/-
979	100W	6500K/3000K	85-285V	≥0.9	400X235X70	IP66	100	120	5	8462/-
980	120W	6500K/3000K	85-285V	≥0.9	505X280X90	IP66	100	120	5	9137/-



50%
Energy Saving
over CFLs



All dimensions in mm



www.fineswitches.com

25

ECLAIRS SERIES



SWITCHES
SINCE 1973



STREET LIGHT
(WITH LENS)



WITH
PBT
REFLECTOR

86%
SAVING

100
LUMENS
PER WATT

EXCELLENT
CRI

2
YEARS
WARRANTY

FLOOD LIGHT (With Reflector)



SWITCHES
SINCE 1973

**WITH
PBT
REFLECTOR**



**ECLAIRS
SERIES**

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	IP RATING	LUMENS	ANGLE	PKG	MRP/Unit
963A	10W	6500K/3000K RED/BLUE/GREEN	85-285V	≥0.9	125X116X35	IP65	90	120	50	1197/-
964A	30W	6500K/3000K	85-285V	≥0.9	180X185X45	IP65	90	120	10	2025/-
965A	50W	6500K/3000K	85-285V	≥0.9	225X230X50	IP65	90	120	10	3337/-
967A	100W	6500K/3000K	85-285V	≥0.9	270X280X65	IP65	90	120	5	4397/-

STREET LIGHT (With Lens)



STREET LIGHT
(WITH LENS)



**ECLAIRS
SERIES**

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	IP RATING	LUMENS	ANGLE	PKG	MRP/Unit
973A	30W	6500K/3000K	85-285V	≥0.9	220X210X30	IP65	100	120	20	2397/-
975A	50W	6500K/3000K	85-285V	≥0.9	320X140X40	IP65	100	120	15	3372/-
979A	100W	6500K/3000K	85-285V	≥0.9	420X180X40	IP65	100	120	15	5922/-

All dimensions in mm



SWITCHES
SINCE 1973

80%
SAVING

90
LUMENS
PER WATT

EXCELLENT
CRI

1
YEAR
WARRANTY

TWIX
STREET LIGHT



HIBAY
LIGHT




TWIX
FLOOD LIGHT



FLOOD LIGHT (ECONOMICAL)

TWIX
SERIES



SWITCHES
SINCE 1973

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	IP RATING	LUMENS	ANGLE	PKG	MRP/Unit
965B	50W	6500K/3000K	85-285V	≥0.9	150X180X47	IP66	100	120	10	2397/-
967B	100W	6500K/3000K	85-285V	≥0.9	205X235X52	IP66	100	120	10	4147/-
970B	20W	6500K/3000K	85-285V	≥0.9	325X355X65	IP66	100	120	4	9022/-

STREET LIGHT (ECONOMICAL)



TWIX
SERIES

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	IP RATING	LUMENS	ANGLE	PKG	MRP/Unit
971B	12W	6500K/3000K	85-285V	≥0.9	30X85X30	IP65	100	120	20	1047/-
972B	20W	6500K/3000K	85-285V	≥0.9	255X100X35	IP65	100	120	10	1197/-

HIBAY LIGHT



INDUSTRIAL
LIGHT

CAT NO.	POWER	COLOUR TEMP	INPUT VOLT	PF	OUTER DIA	IP RATING	LUMENS	PKG	MRP/Unit
967A	100W	6500K/3000K	85-285V	≥0.9	300X300X150	IP65	100	4	9450/-
969A	150W	6500K/3000K	85-285V	≥0.9	300X300X150	IP65	100	4	10250/-
971A	200W	6500K/3000K	85-285V	≥0.9	300X300X150	IP65	100	4	13275/-
972A	250W	6500K/3000K	85-285V	≥0.9	300X300X150	IP65	100	4	21900/-

All dimensions in mm

AN ISO 9001 : 2015 Certified Company



SWITCHES
SINCE 1973



SWITCHES | WIRES & CABLES | SWITCHGEARS | LED LIGHTING | FANS | GEYSERS

GUARANTEE CLAUSE

The company undertakes to replace or repair, at its discretion, the products, should these become defective solely as a result of faulty material and or workmanship within 10 years from the date of purchase and 1 year in the case of surface coated products. LED & fan regulators The guarantee will be void of the product has not been installed or maintained in accordance with the wiring regulations or if any attempt has been made to rectify, tamper with, dismantle improperly, alter or misuse the product. The guarantee states the company's entire liability but it does not extend to cover consequential loss or damage or installation costs arising from the defective product The company reserves the rights to modify or change the product design in future without notice In this event, replacement will be done with the then prevailing design.

GOODS RETURN POLICY

Goods to return if any, will be taken back only within 2 months from the date of billing. Otherwise 10% restocking fee will be levied. Freight will be borne by the dealer

Mfd. By :

FINE SWITCHGEARS

36,39,40, Industrial Area, Phagwara -144401 (Punjab) India

Contact No.: +91 1824-261841, 223457, 9814140257

Toll Free No. : 1800-180-4157

E-mail : sales@fineswitches.com, fineswitchgears@yahoo.com

Website : www.fineswitches.com

IS : 16102
(Part 1)



R-97001040
www.bis.gov.in



Scan with your
Smart phone Visit us at
www.fineswitchgears.com